


Art.-Nr.: 10.02.01.01723



SBP HF 2 13 22


The basic ejectors SBP-HV/HF is delivered as a ready-to-connect product.

Technical data

Attribute	Value
Nozzle diameter	1.3 mm
Degree of evacuation	61.0 %
Air consumption suction	74.0 l/min
Suction rate (max.)	175.3 l/min
Size	22.00
Optimal operating pressure	4.00 bar
Number of stages	2
Shape	High flow

Design data

Attribute	Value
Length L1	138.50 mm
Length L2	32.50 mm
Length L	120.50 mm
Width B	35.00 mm
Height H2	9.50 mm
Height H	44.00 mm
Outside diameter D	20.00 mm
d2	6.4 mm
Thread G1	G1/4"-F
Thread G2	G3/8"-F




Design data SBP HF 2 13 22

Art.-Nr.: 10.02.01.01723

**Technical data**

Attribute	Value
Nozzle diameter	1.3 mm
Recommended hose internal diameter compressed air	6.0 mm
Recommended hose internal diameter vacuum	12.0 mm
Degree of evacuation	61.0 %
Sound pressure level suction	75.0 dB(A)
Sound pressure level free	84.0 dB(A)
Weight	261.6 g
Air consumption suction	2.613 cfm
Suction rate (max.)	6.190 cfm
Optimal operating pressure	4.00 bar
Number of stages	2
Pressure range (operating pressure) [bar]	29.0 ... 87.0
Operating temperature	0 ... 60 °C
Optimal pressure	58.0 psi
Product family	SBP-HV-HF

**Performance data**

Achievable vacuum at various operating pressures

**Achievable vacuum at various operating pressures**

	1	2	3	4	5	6
SBP-HF-2-03-7	0.0	245	415	550	670	768
SBP-HF-...-06-13	-	318	540	690	750	770
SBP-HF-...-13-22	-	290	467	610	720	765



Art.-Nr.: 10.02.01.01723

**Further documentation**CAD data and other documents relating to the article can be found at: www.schmalz.com/10.02.01.01723**Ordering Data Accessories 10.02.01.01723**

Typ		Item number
Mounting bracket	BEF-WIN 50x40x41 5 SFE-22	10.08.03.00315
Mounting set	SET SFE 22	10.02.01.01577
Quick release valve	SEV G1/8-IG G1/4-AG	10.02.01.01471
Silencer (round)	SD 29x70 SHC 22	10.02.01.01517
Mounting set	SET SBP-PXT D30-I	10.02.01.02048
Silencer (round)	SD 29x121.5 SHC	10.02.01.01831

**Ordering Data Spare Parts 10.02.01.01723**

Typ		Item number
Ejector module	SEP HF 2 13 22	10.02.01.01347
Schmalz Fixation Element	SFE 22 AL	10.02.01.01421
Schmalz Holder Cap	SHC 2 22	10.02.01.01512